MAXHUB O1


MAXHUB Mobile Stand Datasheet

Model: ST33M




MAXHUB

Overview



Dimension



MAXHUB 03

Physical Specification

i nysicai specification	
Model	ST33M
Dimension (L×W×H)	1160×661×1597 mm
Dimension with package (L×W×H)	1630×755×160 mm
Net weight	15.7 kg
Gross weight	17.8 kg
Max. load	100 kg
Max. load size	55~86 inch
Caster size	3 inch
Caster type (mute/not mute)	Mute
Matching wall mount	WIB6540A/ WIB9040A/ WIB9060F/ WIB9060G
Color	Gray
VESA hole pitch	800×600 mm

Accessory

Screw accessory package	× <u>1</u>
Installation guide	×1
Wall mount bracket	×1
Display bracket	No

Environmental Condition

Operating temperature	0°C ~ 40°C
Operating humidity	10% ~ 90% RH
Storage temperature	-20°C ~ 40°C
Storage humidity	10% ~ 90% RH

Statement

The product pictures of this specification only indicate that there may be slight difference in product effects (included but not limited to appearance, color and size). Please refer to the actual product. Due to the influence of product configuration and manufacturing process, the actual size/weight of the fuselage may differ.

In order to provide accurate specification parameters and product characteristics as much as possible, it is possible to adjust and revise the text description and picture effect of this specification in real time, so as to match the actual product performance, specifications and other information. No special notice will be given if necessary.

